




Compressori d'aria con trasmissione a cinghia *Belt driven air compressors*

novello

www.novellosrl.it



CI/1


Compressori d'aria con trasmissione a cinghia

Belt driven air compressors



CE

CCS 25 - CCS 50 CCS 100 - CCS 150 CCS 200



	L	P	H
CCS 25	740/29	320/12.5	660/25.7
CCS 50	1010/39.4	360/14	690/27
CCS 100	1100/42.9	400/15.6	780/30.4
CCS 150	1360/53	540/21	1020/39.8
CCS 200	1460/56.9	640/25	1100/42.9




Type	Volt/Hz	Cod.	Lt.	dB (A)	LWA	Grup./Pump	Cil./St.	/min	C.F.M.	m ³ /h	bar	psi	HP	kW	kW	min-1	Kg	m ³
CCS 25-245	230/50/1Δ	1460081000	24	70	95	AB 245	2/1	250	8,8	15	10	145	2	1,5	2	1240	37	0.194
CCS 25-335	230/50/1Δ	1460210000	24	73	97	AB 335	2/1	303	10,7	18,2	10	145	3	2,25	3	1520	37	0.194
CCS 50-245	230/50/1Δ	1461001000	50	71	95	AB 245	2/1	250	8,8	15	10	145	2	1,5	2	1240	53	0.270
CCS 50-335	230/50/1Δ	1461820000	50	74	97	AB 335	2/1	303	10,7	18,2	10	145	3	2,25	3	1520	53	0.270
CCS 100-245	230/50/1Δ	1462001000	100	72	95	AB 245	2/1	250	8,8	15	10	145	2	1,5	2	1240	65	0.350
CCS 100-335	230/50/1Δ	1463540000	100	74	97	AB 335	2/1	303	10,7	18,2	10	145	3	2,25	3	1520	65	0.350
CCS 150-335	230/50/1Δ	1464740000	150	75	97	AB 335	2/1	303	10,7	18,2	10	145	3	2,25	3	1520	89	0.750
CCS 200-335	230/50/1Δ	1465240000	200	75	97	AB 335	2/1	303	10,7	18,2	10	145	3	2,25	3	1520	103	1.030

TOTEM CCS



CE




Type	Volt/Hz	Cod.	Lt.	dB (A)	LWA	Grup./Pump	Cil./St.	/min	C.F.M.	m ³ /h	bar	psi	HP	kW	kW	min-1	Kg	m ³
TOTEM CCS 245	230/50/1Δ	1430040000	90	72	95	AB 245	2/1	250	8,8	15	10	145	2	1,5	2	1240	53	0.457
TOTEM CCS 335	230/50/1Δ	1430010000	90	74	97	AB 335	2/1	303	10,7	18,2	10	145	3	2,25	3	1520	55	0.457



PONY VX

Compressori d'aria coassiali
Direct driven air compressors




CE



Type	Volt/Hz	Cod.	Lt.	dB (A)	LWA	Grup./Pump	Cil./St.	/min	C.F.M.	m ³ /h	bar	psi	HP	kW	kW	min-1	Kg	m ³
PONY VX 304	230/50/1▲	1441501000	9,5+9,5	72	95	VX 304	2/1	300	10,5	18	10	145	2,5	1,8	2,8	1450	50	0.254
PONY VX 402	230/50/1▲	1442001000	9,5+9,5	77	99	VX 402	2/1	400	14	24	10	145	3	2,25	3	2850	52	0.254

PONY AB 410




CE



Type	Volt/Hz	Cod.	Lt.	dB (A)	LWA	Grup./Pump	Cil./St.	/min	C.F.M.	m ³ /h	bar	psi	HP	kW	kW	min-1	Kg	m ³
PONY AB 410	230/50/1▲	1445360000	11+11	76	99	AB 410	2/1	400	14	24	10	145	3	2,25	3	1210	68	0.458

PONY AB 851



CE



Type	Volt/Hz	Cod.	Lt.	dB (A)	LWA	Grup./Pump	Cil./St.	/min	C.F.M.	m ³ /h	bar	psi	HP	kW	kW	min-1	Kg	m ³
PONY AB 851 ○	230/50/1■	1445470000	17+17	77	99	AB 851	2/2	830	29,3	50	10	145	7,5	5,5	7,5	1280	135	0.740


Compressori d'aria con trasmissione a cinghia

Belt driven air compressors



CE

AB 50
AB 100
AB 150
AB 200



	L	P	H
AB 50/245	1010/46.6	360/14	730/27.5
AB 100/245-335	1100/42.9	400/15.6	830/32.4
AB 150/245-335	1360/53	540/21	1060/41.3
AB 200/245-335	1460/56.9	640/24.9	1140/44.5




Type	Volt/Hz	Cod.	Lt.	dB (A)	LWA	Grup./Pump	Cil./St.	/min	C.F.M.	m ³ /h	bar	psi	HP	kW	kW	min-1	Kg	m ³
AB 50-245	230/50/1▲X	1431641000	50	72	95	AB 245	2/1	250	8,8	15	10	145	2	1,5	2	1240	50	0.263
AB 100-245	230/50/1▲X	1432002000	100	72	95	AB 245	2/1	250	8,8	15	10	145	2	1,5	2	1240	62	0.393
AB 150-245	230/50/1▲X	1434002000	150	73	95	AB 245	2/1	250	8,8	15	10	145	2	1,5	2	1240	86	0.831
AB 200-245	230/50/1▲X	1436002000	200	73	95	AB 245	2/1	250	8,8	15	10	145	2	1,5	2	1240	100	1.128
AB 100-335	230/50/1▲X	1432011000	100	76	99	AB 335	2/1	310	11	18,6	10	145	3	2,25	3	1540	64	0.393
AB 150-335	230/50/1▲X	1434011000	150	77	99	AB 335	2/1	310	11	18,6	10	145	3	2,25	3	1540	88	0.831
AB 200-335	230/50/1▲X	1436011000	200	77	99	AB 335	2/1	310	11	18,6	10	145	3	2,25	3	1540	102	1.128



CE

AB 150
AB 200



	L	P	H
AB 150	1360/53.5	540/21	1060/41.3
AB 200	1460/57.5	640/24.9	1140/44.4




Type	Volt/Hz	Cod.	Lt.	dB (A)	LWA	Grup./Pump	Cil./St.	/min	C.F.M.	m ³ /h	bar	psi	HP	kW	kW	min-1	Kg	m ³
AB 150-410	400/50/3■	1464531000	150	76	99	AB 410	2/1	400	14	24	10	145	3	2,25	3	1210	95	0.831
AB 200-410	400/50/3■	1465621000	200	76	99	AB 410	2/1	400	14	24	10	145	3	2,25	3	1210	109	0.895
AB 200-480	400/50/3■	1465040000	200	76	99	AB 450	2/2	480	17	29	10	145	4	3	4	1200	140	0.895
AB 200-510	400/50/3■	1465631000	200	78	99	AB 510	2/1	482	17	29	10	145	4	3	4	1470	125	0.895
AB 200-530	400/50/3■	1465410000	200	71	95	AB 671	2/2	520	18,3	31,2	10	145	4	3	4	800	150	0.895



CE

AB 300




Type	Volt/Hz	Cod.	Lt.	dB (A)	LWA	Grup./Pump	Cil./St.	/min	C.F.M.	m ³ /h	bar	psi	HP	kW	kW	min-1	Kg	m ³
AB 300-480	400/50/3■	1466010000	270	76	99	AB 450	2/2	480	17	29	10	145	4	3	4	1200	173	1.242
AB 300-510	400/50/3■	1466571000	270	78	99	AB 510	2/1	482	17	29	10	145	4	3	4	1470	170	1.242
AB 300-530	400/50/3■	1466440000	270	71	95	AB 671	2/2	520	18,3	31,2	10	145	4	3	4	800	186	1.242
AB 300-550	400/50/3■	1466020000	270	75	99	AB 550	2/2	550	19,4	33	10	145	5,5	4,1	5,5	1400	175	1.242
AB 300-670	400/50/3■	1466420000	270	74	97	AB 671	2/2	650	23	39	10	145	5,5	4,1	5,5	1000	180	1.242
AB 300-850	400/50/3■	1466430000	270	76	99	AB 851	2/2	830	29,3	50	10	145	7,5	5,5	7,5	1280	185	1.242

Compressori d'aria con trasmissione a cinghia

Belt driven air compressors



AB 200 F




CE



Type	Volt/Hz	Cod.	Lt.	dB (A)	LWA	Grup./Pump	Cil./St.	/min	C.F.M.	m ³ /h	bar	psi	HP	kW	kW	min-1	Kg	m ³
AB 200-410 F	400/50/3	1522311000	200	76	99	AB 410	2/1	400	14	24	10	145	3	2,25	3	1210	110	0.895
AB 200-480 F	400/50/3	1522020000	200	76	99	AB 450	2/2	480	17	28,8	10	145	4	3	4	1150	140	0.895
AB 200-510 F	400/50/3	1522321000	200	78	99	AB 510	2/1	482	17	29	10	145	4	3	4	1470	130	0.895
AB 200-530 F	400/50/3	1522200000	200	71	95	AB 671	2/2	520	18,3	31,2	10	145	4	3	4	800	150	0.895



AB 300 F




CE



Type	Volt/Hz	Cod.	Lt.	dB (A)	LWA	Grup./Pump	Cil./St.	/min	C.F.M.	m ³ /h	bar	psi	HP	kW	kW	min-1	Kg	m ³
AB 300-510 F	400/50/3	1523711000	270	78	99	AB 510	2/1	482	17	29	10	145	4	3	4	1470	140	1.242
AB 300-480 F	400/50/3	1523010000	270	76	99	AB 450	2/2	480	17	29	10	145	4	3	4	1200	135	1.242
AB 300-530 F	400/50/3	1523410000	270	71	95	AB 671	2/2	520	18,3	31,2	10	145	4	3	4	800	150	1.242
AB 300-550 F	400/50/3	1523030000	270	75	99	AB 550	2/2	550	19,4	33	10	145	5,5	4,1	5,5	1400	145	1.242
AB 300-670 F	400/50/3	1523390000	270	74	97	AB 671	2/2	650	23	39	10	145	5,5	4,1	5,5	1000	150	1.242
AB 300-850 F	400/50/3	1523400000	270	76	99	AB 851	2/2	830	29,3	50	10	145	7,5	5,5	7,5	1280	152	1.242



AB 500 F




CE



Type	Volt/Hz	Cod.	Lt.	dB (A)	LWA	Grup./Pump	Cil./St.	/min	C.F.M.	m ³ /h	bar	psi	HP	kW	kW	min-1	Kg	m ³
AB 500-550 F	400/50/3	1525000000	500	75	99	AB 550	2/2	550	19,4	33	10	145	5,5	4,1	5,5	1400	240	1.920
AB 500-670 F	400/50/3	1526080000	500	74	97	AB 671	2/2	650	23	39	10	145	5,5	4,1	5,5	1000	253	1.920
AB 500-850 F	400/50/3	1527140000	500	76	99	AB 851	2/2	830	29,3	50	10	145	7,5	5,5	5,5	1280	255	1.920
AB 500-981 F	400/50/3	1531000000	500	78	99	AB 981	2/2	912	32,3	54,7	10	145	10	7,5	10	1280	260	1.920
AB 500-1250 F	400/50/3	1528000000	500	77	99	AB 1000	2/2	1080	38	64,8	10	145	10	7,5	10	1080	270	1.920



ABT 500




CE



Type	Volt/Hz	Cod.	Lt.	dB (A)	LWA	Grup./Pump	Cil./St.	/min	C.F.M.	m ³ /h	bar	psi	HP	kW	kW	min-1	Kg	m ³
ABT 500-960	400/50/3●	1621000000	500	77	99	AB 450	2/2	960	33,9	57,6	10	145	4+4	3+3	4+4	1200	255	1.930
ABT 500-1100 ○	400/50/3●	1622000000	500	77	99	AB 550	2/2	1100	38,8	66	10	145	5,5+5,5	4,1+4,1	5,5+5,5	1400	255	1.930
ABT 500-1350 ○	400/50/3●	1623070000	500	76	99	AB 671	2/2	1300	46	78	10	145	5,5+5,5	4,1+4,1	5,5+5,5	1000	290	1.930
ABT 500-1700 ○	400/50/3●	1624060000	500	78	99	AB 851	2/2	1660	58,6	100	10	145	7,5+7,5	5,5+5,5	7,5+7,5	1280	310	1.930



ABT 900




CE



Type	Volt/Hz	Cod.	Lt.	dB (A)	LWA	Grup./Pump	Cil./St.	/min	C.F.M.	m ³ /h	bar	psi	HP	kW	kW	min-1	Kg	m ³
ABT 900-1700 ○	400/50/3●	1629000000	900	78	99	AB 851	2/2	1660	58,6	100	10	145	7,5+7,5	5,5+5,5	7,5+7,5	1280	445	3.276
ABT 900-1960 ○	400/50/3●	1629030000	900	78	99	AB 981	2/2	1824	64,4	109,4	10	145	10+10	7,5+7,5	10+10	1280	488	3.276



ABV 300



CE



Type	Volt/Hz	Cod.	Lt.	dB (A)	LWA	Grup./Pump	Cil./St.	/min	C.F.M.	m ³ /h	bar	psi	HP	kW	kW	min-1	Kg	m ³
ABV 300-335	230/50/1▲	1529960000	270	77	99	AB 335	2/1	310	11	18,6	10	145	3	2,25	3	1540	120	1.078
ABV 300-480 ○	400/50/3▲	1529550000	270	76	99	AB 450	2/2	480	17	28,8	10	145	4	3	4	1200	155	1.078
ABV 300-550 ○	400/50/3▲	1529570000	270	75	99	AB 550	2/2	550	19,4	33	10	145	5,5	4,1	5,5	1400	160	1.078
ABV 300-670 ○	400/50/3▲	1529640000	270	74	97	AB 671	2/2	650	23	39	10	145	5,5	4,1	5,5	1000	180	1.078
ABV 300-850 ○	400/50/3▲	1529660000	270	76	99	AB 851	2/2	830	29,3	50	10	145	7,5	5,5	7,5	1280	200	1.078